

2011 CENTRAL REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 275 high school students in Central Region during February of 2011. Frequency distributions may not total 275 due to nonresponse and percents may not total 100 percent due to rounding.

<i>Q-1. How old are you?</i>	<u>Count</u>	<u>Percent</u>
a. 12 years old or younger	0	0.0%
b. 13 years old	1	0.4%
c. 14 years old	30	10.9%
d. 15 years old	72	26.3%
e. 16 years old	57	20.8%
f. 17 years old	58	21.2%
g. 18 years old or older	56	20.4%
Total	274	100.0%

<i>Q-2. What is your sex?</i>	<u>Count</u>	<u>Percent</u>
a. Female	151	55.1%
b. Male	123	44.9%
Total	274	100.0%

<i>Q-3. In what grade are you?</i>	<u>Count</u>	<u>Percent</u>
a. 9th grade	79	28.7%
b. 10th grade	62	22.5%
c. 11th grade	50	18.2%
d. 12th grade	81	29.5%
e. Ungraded or other grade	3	1.1%
Total	275	100.0%

<i>Q-4. Are you Hispanic or Latino?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	13	4.8%
b. No	260	95.2%
Total	273	100.0%

<i>Q-5. What is your race?</i>	<u>Count</u>	<u>Percent</u>
a. American Indian or Alaskan Native	5	1.8%
b. Asian	6	2.2%
c. Black or African American	6	2.2%
d. Native Hawaiian or Other Pacific Islander	2	0.7%
e. White	260	94.5%
(More than one response allowed)	Total	279
		101.5%

<i>Q-6. How tall are you without your shoes on?</i>	<u>Count</u>	<u>Percent</u>
a. Less than 4 ft	1	0.4%
b. 4ft to 4 ft, 6 in	1	0.4%
c. 4ft, 7in to 5 ft	6	2.2%
d. 5ft, 1in to 5ft, 6in	112	41.0%
e. Over 5ft, 6in	153	56.0%
Total	273	100.0%

2011 CENTRAL REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-7. How much do you weigh without your shoes on?</i>	<u>Count</u>	<u>Percent</u>
a. Less than 90 lbs	1	0.4%
b. 90-99 lbs	5	1.8%
c. 100-109 lbs	16	5.9%
d. 110-119lbs	24	8.9%
e. 120-129 lbs	39	14.4%
f. 130-139 lbs	49	18.1%
g. 140 lbs +	137	50.6%
Total	271	100.0%

<i>Q-8. When you rode a bicycle during the past 12 months, how often did you wear a helmet?</i>	<u>Count</u>	<u>Percent</u>
a. I did not ride a bicycle during the past 12 months	73	26.5%
b. Never wore a helmet	170	61.8%
c. Rarely wore a helmet	14	5.1%
d. Sometimes wore a helmet	9	3.3%
e. Most of the time wore a helmet	7	2.5%
f. Always wore a helmet	2	0.7%
Total	275	100.0%

<i>Q-9. How often do you wear your seat belt when riding in a car driven by someone else?</i>	<u>Count</u>	<u>Percent</u>
a. Never	18	6.5%
b. Rarely	24	8.7%
c. Sometimes	43	15.6%
d. Most of the time	112	40.7%
e. Always	78	28.4%
Total	275	100.0%

<i>Q-10. How often do you wear a seat belt when driving a car?</i>	<u>Count</u>	<u>Percent</u>
a. Never	25	9.2%
b. Rarely	19	7.0%
c. Sometimes	24	8.9%
d. Most of the time	66	24.4%
e. Always	137	50.6%
Total	271	100.0%

<i>Q-11. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	193	70.2%
b. 1 time	33	12.0%
c. 2 or 3 times	34	12.4%
d. 4 or 5 times	2	0.7%
e. 6 or more times	13	4.7%
Total	275	100.0%

2011 CENTRAL REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-12. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	247	89.8%
b. 1 time	13	4.7%
c. 2 or 3 times	8	2.9%
d. 4 or 5 times	3	1.1%
e. 6 or more times	4	1.5%
Total	275	100.0%

<i>Q-13. During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	145	52.9%
b. 1 or 2 days	26	9.5%
c. 3 to 5 days	30	10.9%
d. 6 to 9 days	10	3.6%
e. 10 to 19 days	20	7.3%
f. 20 to 29 days	16	5.8%
g. All 30 days	27	9.9%
Total	274	100.0%

<i>Q-14. During the past 30 days, on how many days did you talk on a cell phone while driving a car or other vehicle?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	125	45.5%
b. 1 or 2 days	53	19.3%
c. 3 to 5 days	26	9.5%
d. 6 to 9 days	22	8.0%
e. 10 to 19 days	23	8.4%
f. 20 to 29 days	14	5.1%
g. All 30 days	12	4.4%
Total	275	100.0%

<i>Q-15. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	190	69.9%
b. 1 day	12	4.4%
c. 2 or 3 days	18	6.6%
d. 4 or 5 days	8	2.9%
e. 6 or more days	44	16.2%
Total	272	100.0%

<i>Q-16. During the past 30 days, on how many days did you carry a gun?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	230	84.2%
b. 1 day	10	3.7%
c. 2 or 3 days	7	2.6%
d. 4 or 5 days	8	2.9%
e. 6 or more days	18	6.6%
Total	273	100.0%

2011 CENTRAL REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q-17. *During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?*

	<u>Count</u>	<u>Percent</u>
a. 0 days	236	85.8%
b. 1 day	9	3.3%
c. 2 or 3 days	4	1.5%
d. 4 or 5 days	5	1.8%
e. 6 or more days	21	7.6%
Total	275	100.0%

Q-18. *During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?*

	<u>Count</u>	<u>Percent</u>
a. 0 days	262	95.6%
b. 1 day	3	1.1%
c. 2 or 3 days	4	1.5%
d. 4 or 5 days	0	0.0%
e. 6 or more days	5	1.8%
Total	274	100.0%

Q-19. *During the past 12 months, how many times has someone stolen or deliberately damaged your property such as your car, clothing, or books on school property?*

	<u>Count</u>	<u>Percent</u>
a. 0 times	207	76.1%
b. 1 time	35	12.9%
c. 2 or 3 times	16	5.9%
d. 4 or 5 times	6	2.2%
e. 6 or 7 times	1	0.4%
f. 8 or 9 times	1	0.4%
g. 10 or 11 times	0	0.0%
h. 12 or more times	6	2.2%
Total	272	100.0%

Q-20. *During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?*

	<u>Count</u>	<u>Percent</u>
a. 0 times	256	93.4%
b. 1 time	6	2.2%
c. 2 or 3 times	4	1.5%
d. 4 or 5 times	2	0.7%
e. 6 or 7 times	0	0.0%
f. 8 or 9 times	1	0.4%
g. 10 or 11 times	0	0.0%
h. 12 or more times	5	1.8%
Total	274	100.0%

2011 CENTRAL REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-21. During the past 12 months, how many times were you in a physical fight?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	200	73.0%
b. 1 time	27	9.9%
c. 2 or 3 times	30	10.9%
d. 4 or 5 times	5	1.8%
e. 6 or 7 times	1	0.4%
f. 8 or 9 times	1	0.4%
g. 10 or 11 times	0	0.0%
h. 12 or more times	10	3.6%
Total	274	100.0%

<i>Q-22. During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	268	98.5%
b. 1 time	3	1.1%
c. 2 or 3 times	1	0.4%
d. 4 or 5 times	0	0.0%
e. 6 or more times	0	0.0%
Total	272	100.0%

<i>Q-23. During the past 12 months, how many times were you in a physical fight on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	250	91.2%
b. 1 time	12	4.4%
c. 2 or 3 times	10	3.6%
d. 4 or 5 times	1	0.4%
e. 6 or 7 times	0	0.0%
f. 8 or 9 times	0	0.0%
g. 10 or 11 times	0	0.0%
h. 12 or more times	1	0.4%
Total	274	100.0%

<i>Q-24. During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	28	10.3%
b. No	244	89.7%
Total	272	100.0%

<i>Q-25. Have you ever been physically forced to have sexual intercourse when you did not want to?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	23	8.4%
b. No	250	91.6%
Total	273	100.0%

<i>Q-26. During the past 12 months, have you ever been bullied on school property?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	82	30.0%
b. No	191	70.0%
Total	273	100.0%

2011 CENTRAL REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q-27. <i>During the past 12 months, have you ever been electronically bullied? (Include being bullied through e-mail, chat rooms, instant messaging, Web sites, or texting.)</i>	<u>Count</u>	<u>Percent</u>
a. Yes	37	13.5%
b. No	238	86.5%
	Total	275
		100.0%

Q-28. <i>During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	55	20.1%
b. No	219	79.9%
	Total	274
		100.0%

Q-29. <i>During the past 12 months, did you ever seriously consider attempting suicide?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	34	12.4%
b. No	241	87.6%
	Total	275
		100.0%

Q-30. <i>During the past 12 months, did you make a plan about how you would attempt suicide?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	27	9.8%
b. No	248	90.2%
	Total	275
		100.0%

Q-31. <i>During the past 12 months, how many times did you actually attempt suicide?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	240	88.9%
b. 1 time	24	8.9%
c. 2 or 3 times	4	1.5%
d. 4 or 5 times	0	0.0%
e. 6 or more times	2	0.7%
	Total	270
		100.0%

Q-32. <i>If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?</i>	<u>Count</u>	<u>Percent</u>
a. I did not attempt suicide	244	88.7%
b. Yes	7	2.5%
c. No	24	8.7%
	Total	275
		100.0%

Q-33. <i>Have you ever tried cigarette smoking, even one or two puffs?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	118	42.9%
b. No	157	57.1%
	Total	275
		100.0%

2011 CENTRAL REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-34. How old were you when you smoked a whole cigarette for the first time?</i>	<u>Count</u>	<u>Percent</u>
a. I have never smoked a whole cigarette	181	66.3%
b. 8 years old or younger	14	5.1%
c. 9 or 10 years old	7	2.6%
d. 11 or 12 years old	11	4.0%
e. 13 or 14 years old	19	7.0%
f. 15 or 16 years old	33	12.1%
g. 17 years old or older	8	2.9%
Total	273	100.0%

<i>Q-35. During the past 30 days, on how many days did you smoke cigarettes?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	224	81.5%
b. 1 or 2 days	22	8.0%
c. 3 to 5 days	6	2.2%
d. 6 to 9 days	4	1.5%
e. 10 to 19 days	4	1.5%
f. 20 to 29 days	3	1.1%
g. All 30 days	12	4.4%
Total	275	100.0%

<i>Q-36. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?</i>	<u>Count</u>	<u>Percent</u>
a. I did not smoke cigarettes during the past 30 days	223	81.1%
b. Less than 1 cigarette per day	20	7.3%
c. 1 cigarette per day	13	4.7%
d. 2 to 5 cigarettes per day	11	4.0%
e. 6 to 10 cigarettes per day	6	2.2%
f. 11 to 20 cigarettes per day	1	0.4%
g. More than 20 cigarettes per day	1	0.4%
Total	275	100.0%

<i>Q-37. During the past 30 days, how did you usually get your own cigarettes? (Select only one response.)</i>	<u>Count</u>	<u>Percent</u>
a. I did not smoke cigarettes during the past 30 days	222	81.3%
b. I bought them in a store such as a convenience store, supermarket, discount store, or gas station	15	5.5%
c. I bought them from a vending machine	1	0.4%
d. I gave someone else money to buy them for me	8	2.9%
e. I borrowed (or bummed) them from someone else	14	5.1%
f. A person 18 years old or older gave them to me	6	2.2%
g. I took them from a store or family member	2	0.7%
h. I got them some other way	5	1.8%
Total	273	100.0%

2011 CENTRAL REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-38. During the past 30 days, on how many days did you smoke cigarettes on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	266	96.7%
b. 1 or 2 days	4	1.5%
c. 3 to 5 days	1	0.4%
d. 6 to 9 days	1	0.4%
e. 10 to 19 days	1	0.4%
f. 20 to 29 days	0	0.0%
g. All 30 days	2	0.7%
Total	275	100.0%

<i>Q-39. Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	33	12.0%
b. No	241	88.0%
Total	274	100.0%

<i>Q-40. During the past 12 months, did you ever try to quit smoking cigarettes?</i>	<u>Count</u>	<u>Percent</u>
a. I did not smoke during the past 12 months	223	81.7%
b. Yes	27	9.9%
c. No	23	8.4%
Total	273	100.0%

<i>Q-41. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	233	85.0%
b. 1 or 2 days	13	4.7%
c. 3 to 5 days	6	2.2%
d. 6 to 9 days	2	0.7%
e. 10 to 19 days	4	1.5%
f. 20 to 29 days	3	1.1%
g. All 30 days	13	4.7%
Total	274	100.0%

<i>Q-42. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	251	91.6%
b. 1 or 2 days	9	3.3%
c. 3 to 5 days	2	0.7%
d. 6 to 9 days	2	0.7%
e. 10 to 19 days	3	1.1%
f. 20 to 29 days	4	1.5%
g. All 30 days	3	1.1%
Total	274	100.0%

2011 CENTRAL REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-43. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	246	89.8%
b. 1 or 2 days	14	5.1%
c. 3 to 5 days	5	1.8%
d. 6 to 9 days	3	1.1%
e. 10 to 19 days	1	0.4%
f. 20 to 29 days	0	0.0%
g. All 30 days	5	1.8%
Total	274	100.0%

<i>Q-44. During your life, on how many days have you had at least one drink of alcohol?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	74	27.2%
b. 1 or 2 days	44	16.2%
c. 3 to 9 days	36	13.2%
d. 10 to 19 days	31	11.4%
e. 20 to 39 days	28	10.3%
f. 40 to 99 days	25	9.2%
g. 100 or more days	34	12.5%
Total	272	100.0%

<i>Q-45. How old were you when you had your first drink of alcohol other than a few sips?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had a drink of alcohol other than a few sips	87	31.6%
b. 8 years old or younger	17	6.2%
c. 9 or 10 years old	12	4.4%
d. 11 or 12 years old	32	11.6%
e. 13 or 14 years old	80	29.1%
f. 15 or 16 years old	38	13.8%
g. 17 years old or older	9	3.3%
Total	275	100.0%

<i>Q-46. During the past 30 days, on how many days did you have at least one drink of alcohol?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	176	65.4%
b. 1 or 2 days	42	15.6%
c. 3 to 5 days	28	10.4%
d. 6 to 9 days	12	4.5%
e. 10 to 19 days	5	1.9%
f. 20 to 29 days	1	0.4%
g. All 30 days	5	1.9%
Total	269	100.0%

2011 CENTRAL REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-47. During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	206	74.9%
b. 1 day	23	8.4%
c. 2 days	25	9.1%
d. 3 to 5 days	10	3.6%
e. 6 to 9 days	5	1.8%
f. 10 to 19 days	1	0.4%
g. 20 or more days	5	1.8%
Total	275	100.0%

<i>Q-48. During the past 30 days, how did you usually get the alcohol you drank?</i>	<u>Count</u>	<u>Percent</u>
a. I did not drink alcohol during the past 30 days	172	62.8%
b. I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	2	0.7%
c. I bought it at a restaurant, bar, or club	1	0.4%
d. I bought it at a public event such as a concert or sporting event	3	1.1%
e. I gave someone else money to buy it for me	21	7.7%
f. Someone gave it to me	45	16.4%
g. I took it from a store or family member	9	3.3%
h. I got it some other way	21	7.7%
Total	274	100.0%

<i>Q-49. During the past 30 days, on how many days did you have at least one drink of alcohol on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	262	96.0%
b. 1 or 2 days	9	3.3%
c. 3 to 5 days	0	0.0%
d. 6 to 9 days	1	0.4%
e. 10 to 19 days	0	0.0%
f. 20 to 29 days	0	0.0%
g. All 30 days	1	0.4%
Total	273	100.0%

<i>Q-50. During your life, how many times have you used marijuana?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	211	76.7%
b. 1 or 2 times	28	10.2%
c. 3 to 9 times	8	2.9%
d. 10 to 19 times	7	2.5%
e. 20 to 39 times	0	0.0%
f. 40 to 99 times	6	2.2%
g. 100 or more times	15	5.5%
Total	275	100.0%

2011 CENTRAL REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-51. How old were you when you tried marijuana for the first time?</i>	<u>Count</u>	<u>Percent</u>
a. I have never tried marijuana	211	76.7%
b. 8 years old or younger	3	1.1%
c. 9 or 10 years old	2	0.7%
d. 11 or 12 years old	7	2.5%
e. 13 or 14 years old	20	7.3%
f. 15 or 16 years old	23	8.4%
g. 17 years old or older	9	3.3%
Total	275	100.0%

<i>Q-52. During the past 30 days, how many times did you use marijuana?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	239	87.5%
b. 1 or 2 times	13	4.8%
c. 3 to 9 times	10	3.7%
d. 10 to 19 times	2	0.7%
e. 20 to 39 times	0	0.0%
f. 40 or more times	9	3.3%
Total	273	100.0%

<i>Q-53. During the past 30 days, how many times did you use marijuana on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	268	97.5%
b. 1 or 2 times	4	1.5%
c. 3 to 9 times	1	0.4%
d. 10 to 19 times	0	0.0%
e. 20 to 39 times	0	0.0%
f. 40 or more times	2	0.7%
Total	275	100.0%

<i>Q-54. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	263	96.3%
b. 1 or 2 times	3	1.1%
c. 3 to 9 times	1	0.4%
d. 10 to 19 times	1	0.4%
e. 20 to 39 times	1	0.4%
f. 40 or more times	4	1.5%
Total	273	100.0%

<i>Q-55. During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	265	97.4%
b. 1 or 2 times	1	0.4%
c. 3 to 9 times	1	0.4%
d. 10 to 19 times	2	0.7%
e. 20 to 39 times	0	0.0%
f. 40 or more times	3	1.1%
Total	272	100.0%

2011 CENTRAL REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-56. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	240	87.6%
b. 1 or 2 times	20	7.3%
c. 3 to 9 times	9	3.3%
d. 10 to 19 times	1	0.4%
e. 20 to 39 times	1	0.4%
f. 40 or more times	3	1.1%
Total	274	100.0%

<i>Q-57. During your life, how many times have you used heroin (also called smack, junk, or China White)?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	269	97.8%
b. 1 or 2 times	3	1.1%
c. 3 to 9 times	1	0.4%
d. 10 to 19 times	0	0.0%
e. 20 to 39 times	0	0.0%
f. 40 or more times	2	0.7%
Total	275	100.0%

<i>Q-58. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	269	97.8%
b. 1 or 2 times	2	0.7%
c. 3 to 9 times	0	0.0%
d. 10 to 19 times	0	0.0%
e. 20 to 39 times	2	0.7%
f. 40 or more times	2	0.7%
Total	275	100.0%

<i>Q-59. During your life, how many times have you used ecstasy (also called MDMA)?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	257	93.5%
b. 1 or 2 times	10	3.6%
c. 3 to 9 times	4	1.5%
d. 10 to 19 times	0	0.0%
e. 20 to 39 times	2	0.7%
f. 40 or more times	2	0.7%
Total	275	100.0%

<i>Q-60. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	271	98.9%
b. 1 or 2 times	0	0.0%
c. 3 to 9 times	0	0.0%
d. 10 to 19 times	0	0.0%
e. 20 to 39 times	1	0.4%
f. 40 or more times	2	0.7%
Total	274	100.0%

2011 CENTRAL REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-61. During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	239	87.2%
b. 1 or 2 times	10	3.6%
c. 3 to 9 times	8	2.9%
d. 10 to 19 times	9	3.3%
e. 20 to 39 times	0	0.0%
f. 40 or more times	8	2.9%
Total	274	100.0%

<i>Q-62. During your life, how many times have you used a needle to inject any illegal drug into your body?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	271	98.9%
b. 1 time	1	0.4%
c. 2 or more times	2	0.7%
Total	274	100.0%

<i>Q-63. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	42	15.3%
b. No	232	84.7%
Total	274	100.0%

<i>Q-64. Have you ever had sexual intercourse?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	109	40.5%
b. No	160	59.5%
Total	269	100.0%

<i>Q-65. How old were you when you had sexual intercourse for the first time?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	165	60.2%
b. 11 years old or younger	8	2.9%
c. 12 years old	2	0.7%
d. 13 years old	9	3.3%
e. 14 years old	23	8.4%
f. 15 years old	28	10.2%
g. 16 years old	26	9.5%
h. 17 years old or older	13	4.7%
Total	274	100.0%

<i>Q-66. During your life, with how many people have you had sexual intercourse?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	168	61.3%
b. 1 person	29	10.6%
c. 2 people	23	8.4%
d. 3 people	15	5.5%
e. 4 people	7	2.6%
f. 5 people	10	3.6%
g. 6 or more people	22	8.0%
Total	274	100.0%

2011 CENTRAL REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-67. During the past 3 months, with how many people did you have sexual intercourse?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	170	62.0%
b. I have had sexual intercourse, but not during the past 3 months	36	13.1%
c. 1 person	49	17.9%
d. 2 people	8	2.9%
e. 3 people	5	1.8%
f. 4 people	3	1.1%
g. 5 people	0	0.0%
h. 6 or more people	3	1.1%
Total	274	100.0%

<i>Q-68. Did you drink alcohol or use drugs before you had sexual intercourse the last time?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	166	61.0%
b. Yes	20	7.4%
c. No	86	31.6%
Total	272	100.0%

<i>Q-69. The last time you had sexual intercourse, did you or your partner use a condom?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	166	60.8%
b. Yes	77	28.2%
c. No	30	11.0%
Total	273	100.0%

<i>Q-70. The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? (Select only one response.)</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	166	60.6%
b. No method was used to prevent pregnancy	6	2.2%
c. Birth control pills	11	4.0%
d. Condoms	71	25.9%
e. Depo-Provera (or any injectable birth control), Nuva Ring (or any birth control ring), Implanon (or any implant), or any IUD	3	1.1%
f. Withdrawal	13	4.7%
g. Some other method	3	1.1%
h. Not sure	1	0.4%
Total	274	100.0%

<i>Q-71. How do you describe your weight?</i>	<u>Count</u>	<u>Percent</u>
a. Very underweight	2	0.7%
b. Slightly underweight	36	13.3%
c. About the right weight	163	60.1%
d. Slightly overweight	65	24.0%
e. Very overweight	5	1.8%
Total	271	100.0%

2011 CENTRAL REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q-72. Which of the following are you trying to do about your weight?	<u>Count</u>	<u>Percent</u>
a. Lose weight	107	39.2%
b. Gain weight	45	16.5%
c. Stay the same weight	61	22.3%
d. I am not trying to do anything about my weight	60	22.0%
	Total	273
		100.0%

Q-73. During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	32	11.8%
b. No	239	88.2%
	Total	271
		100.0%

Q-74. During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight? (Do not include meal replacement products such as Slim Fast.)	<u>Count</u>	<u>Percent</u>
a. Yes	10	3.6%
b. No	264	96.4%
	Total	274
		100.0%

Q-75. During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	14	5.2%
b. No	256	94.8%
	Total	270
		100.0%

Q-76. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)	<u>Count</u>	<u>Percent</u>
a. I did not drink 100% fruit juice during the past 7 days	34	12.7%
b. 1 to 3 times during the past 7 days	111	41.4%
c. 4 to 6 times during the past 7 days	54	20.1%
d. 1 time per day	32	11.9%
e. 2 times per day	19	7.1%
f. 3 times per day	7	2.6%
g. 4 or more times per day	11	4.1%
	Total	268
		100.0%

Q-77. During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)	<u>Count</u>	<u>Percent</u>
a. I did not eat fruit during the past 7 days	23	8.4%
b. 1 to 3 times during the past 7 days	97	35.5%
c. 4 to 6 times during the past 7 days	73	26.7%
d. 1 time per day	38	13.9%
e. 2 times per day	22	8.1%
f. 3 times per day	9	3.3%
g. 4 or more times per day	11	4.0%
	Total	273
		100.0%

2011 CENTRAL REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q-78. During the past 7 days, how many times did you eat green salad?

	<u>Count</u>	<u>Percent</u>
a. I did not eat green salad during the past 7 days	80	29.3%
b. 1 to 3 times during the past 7 days	118	43.2%
c. 4 to 6 times during the past 7 days	44	16.1%
d. 1 time per day	25	9.2%
e. 2 times per day	4	1.5%
f. 3 times per day	1	0.4%
g. 4 or more times per day	1	0.4%
Total	273	100.0%

Q-79. During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)

	<u>Count</u>	<u>Percent</u>
a. I did not eat potatoes during the past 7 days	48	17.6%
b. 1 to 3 times during the past 7 days	140	51.5%
c. 4 to 6 times during the past 7 days	50	18.4%
d. 1 time per day	21	7.7%
e. 2 times per day	5	1.8%
f. 3 times per day	4	1.5%
g. 4 or more times per day	4	1.5%
Total	272	100.0%

Q-80. During the past 7 days, how many times did you eat carrots?

	<u>Count</u>	<u>Percent</u>
a. I did not eat carrots during the past 7 days	94	34.7%
b. 1 to 3 times during the past 7 days	121	44.6%
c. 4 to 6 times during the past 7 days	31	11.4%
d. 1 time per day	14	5.2%
e. 2 times per day	5	1.8%
f. 3 times per day	2	0.7%
g. 4 or more times per day	4	1.5%
Total	271	100.0%

Q-81. During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)

	<u>Count</u>	<u>Percent</u>
a. I did not eat other vegetables during the past 7 days	31	11.4%
b. 1 to 3 times during the past 7 days	115	42.1%
c. 4 to 6 times during the past 7 days	68	24.9%
d. 1 time per day	33	12.1%
e. 2 times per day	18	6.6%
f. 3 times per day	4	1.5%
g. 4 or more times per day	4	1.5%
Total	273	100.0%

Q-82. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)

	<u>Count</u>	<u>Percent</u>
a. I did not drink soda or pop during the past 7 days	40	14.9%
b. 1 to 3 times during the past 7 days	115	42.8%
c. 4 to 6 times during the past 7 days	58	21.6%
d. 1 time per day	22	8.2%
e. 2 times per day	18	6.7%
f. 3 times per day	6	2.2%
g. 4 or more times per day	10	3.7%
Total	269	100.0%

2011 CENTRAL REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-83. During the past 7 days, how many times did you drink a can, bottle, or glass of an energy drink, such as Red Bull or Jolt? (Do not count diet energy drinks or sports drinks such as Gatorade or PowerAde).</i>	<u>Count</u>	<u>Percent</u>
a. I did not drink energy drinks during the past 7 days	174	64.0%
b. 1 to 3 times during the past 7 days	83	30.5%
c. 4 to 6 times during the past 7 days	4	1.5%
d. 1 time per day	3	1.1%
e. 2 times per day	3	1.1%
f. 3 times per day	0	0.0%
g. 4 or more times per day	5	1.8%
Total	272	100.0%

<i>Q-84. During the past 7 days, on how many days did you eat breakfast?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	44	16.2%
b. 1 day	21	7.7%
c. 2 days	18	6.6%
d. 3 days	17	6.3%
e. 4 days	16	5.9%
f. 5 days	15	5.5%
g. 6 days	28	10.3%
h. 7 days	112	41.3%
Total	271	100.0%

<i>Q-85. During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	21	7.8%
b. 1 day	14	5.2%
c. 2 days	23	8.6%
d. 3 days	17	6.3%
e. 4 days	27	10.1%
f. 5 days	32	11.9%
g. 6 days	48	17.9%
h. 7 days	86	32.1%
Total	268	100.0%

<i>Q-86. On an average school day, how many hours do you watch TV?</i>	<u>Count</u>	<u>Percent</u>
a. I do not watch TV on an average school day	34	12.5%
b. Less than 1 hour per day	56	20.7%
c. 1 hour per day	70	25.8%
d. 2 hours per day	58	21.4%
e. 3 hours per day	34	12.5%
f. 4 hours per day	12	4.4%
g. 5 or more hours per day	7	2.6%
Total	271	100.0%

2011 CENTRAL REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-87. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Include activities such as Xbox, PlayStation, Nintendo DS, iPod touch, Facebook, and the Internet.)</i>	<u>Count</u>	<u>Percent</u>
a. I do not play video or computer games or use a computer for something that is not school work	40	14.8%
b. Less than 1 hour per day	87	32.1%
c. 1 hour per day	64	23.6%
d. 2 hours per day	41	15.1%
e. 3 hours per day	20	7.4%
f. 4 hours per day	10	3.7%
g. 5 or more hours per day	9	3.3%
Total	271	100.0%

<i>Q-88. In an average week when you are in school, on how many days do you go to physical education (PE) classes?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	107	39.8%
b. 1 day	9	3.3%
c. 2 days	33	12.3%
d. 3 days	15	5.6%
e. 4 days	19	7.1%
f. 5 days	86	32.0%
Total	269	100.0%

<i>Q-89. During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)</i>	<u>Count</u>	<u>Percent</u>
a. 0 teams	66	24.4%
b. 1 team	63	23.2%
c. 2 teams	78	28.8%
d. 3 or more teams	64	23.6%
Total	271	100.0%

<i>Q-90. Have you ever been taught about AIDS or HIV infection in school?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	208	76.5%
b. No	37	13.6%
c. Not sure	27	9.9%
Total	272	100.0%

<i>Q-91. Has a doctor or nurse ever told you that you have asthma?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	53	19.6%
b. No	211	77.9%
c. Not sure	7	2.6%
Total	271	100.0%

<i>Q-92. Do you still have asthma?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had asthma	166	61.3%
b. a. Yes	36	13.3%
c. b. No	42	15.5%
d. c. Not sure	27	10.0%
Total	271	100.0%

**2011 CENTRAL REGION YOUTH RISK BEHAVIOR SURVEY
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS**

<i>Q-93. During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	23	8.7%
b. No	242	91.3%
	<i>Total</i>	<i>265</i>
		<i>100.0%</i>